



Wall Mount Monitors

On-wall displays



Integrating monitors on the wall is a convenient space optimising solution specially conceived to enhance the user experience. When installed in reception and public areas they become a part of a friendly eye-catching space providing positive feelings to visitors. Wall Mount Monitors can be discreetly installed on the wall and deliver convenient information, as well as personalised welcome messages or corporate presentations.

Wall monitors are also ideal to offer relevant meetings information when placed outside a conference or purpose-built room. They can show details about the session taking place inside, being extremely helpful and engaging for attendees to know schedules, programmes or other general information of interest.

Advanced top features

- Warm welcome to visitors
- Meeting information provider
- Space optimising on-wall installation
- Touch screen available
- Wall mount integrated
- Security anti-theft locking system
- HDCP licensed monitor manufacturer

Entertaining and informative

Wall Mount Monitors are designed for multiple applications. They can be installed in reception and corporate areas inside hotels, office and commercial buildings, museums and visitor or business centres. But they also find a perfect location on the outside of meeting rooms, a place where they will undoubtedly catch the eye of the public. Wall Mount Monitors become an entertaining feature standing out in these spaces while acting as an interactive communication display for users.

The displays are robust and resistant, all set for the busy areas where they are installed. These monitors serve users with advanced technology ready to play in a very own and useful way, adding a distinctive smart touch to their time in a particular building or meeting and working up an awesome experience to remember.

Space optimising technology

Installing a monitor on the wall has many advantages both for the user and the space itself. The screen gets fixed at a specific height conveniently placed for a comfortable quick user activity without obstructing the area. The monitor does not occupy extra space, as it is appropriately hung and it remains perfectly integrated vertically on the wall surface.

The display is also equipped with a security anti-theft locking system to ensure the monitor is always secure and protected.

Fully-equipped displays

The most usual video connectivity is integrated in Wall Mount Monitors, so all contents can be displayed in a very easy and secure way. The DVI-I and DVI-D inputs guarantee the display of analogue and digital video sources and the Albiral's HDCP licensed monitor manufacturer qualification certify protected high definition contents.

The features of the monitor can be enhanced with some additional functionalities:

Touch screen	The touch screen transforms the screen into an interactive tool to select the desired options and contents in a quick and direct way, being extremely useful for the user navigation through the display.
Protective polycarbonate	The monitors can include a polycarbonate screen protector to ensure the resistance and durability of the display even with a persistent and intense use.
PC	Wall Mount Monitors can integrate a built-in industrial PC, so functionalities get extended to those of a standard computer.
WiFi	When integrating the PC, the system can also include a WiFi connection. The WiFi enlarges the possibilities offered by the monitor and permits the user to enjoy of web based applications or browse the Internet.
Mpeg Player	The reproduction options available also include a built-in Mpeg player allowing audio and video sources in this common format.

General description

Wall Mount Monitor by Albiral is a 21.5" Full HD display to be installed fixed on the wall. It is made of powder coated steel and includes a wall mount to be conveniently hung on the wall.

DVI-I and DVI-D inputs are integrated in the monitor for analogue and digital video inputs.

The additional options for the monitor include touch screen, built-in PC, WiFi network, Mpeg player and polycarbonate protection screen.

Product specifications

Screen	
Size	21.5" Full HD TFT Active Matrix LED Backlight
Resolution	1920 (h) x 1080 (v)
Brightness	250 cd/m ²
Contrast ratio	1000:1
Pixels	0.24975 (h) x 0.24975 (v) mm
Viewing angle	178° (h) - 178° (v)
Viewing area	476.064 (h) x 267.786 (v) mm
LED backlight lifespan	30,000 hrs
Response time	Tg-g 14 ms
Temperature	Operating 0°C / +40°C Storage -20°C / +60°C

Materials	
Cabinet	Powder coated housing
Controls	
Digital	(Not available with PC option)
Connections	
Input signal	DVI-I (1input). HDCP compliant
	DVI-D (1input). HDCP compliant
Electricity	
External power supply	100-240Vac, 47/63Hz, 12Vdc
Power consumption	80W

General dimensions

